

Approved For Release 2001/07/25 : CIA-RDP77B00263R000030109-6

DATE

~~SECRET~~

1	DM	9
2		10
3		11
4		12
5	Reles	13
6		14
7		15
8		16

16.12

TO :

FROM :

ACTION:

INFO :

IN 65551

OSA 1-20

TO

INFO 25X1A2g

CITE

~~SECRET~~ 081622Z CITE 0049

IDEALIST LOGS-MEDIC

RECOMMENDS THAT A BACKUP TECH REP BE CLEARED AND PLACED ON STANDBY STATUS TO INSURE DOPPLER COVERAGE DURING THE DEPLOYMENT. AS PREVIOUSLY REPORTED THE PHYSICAL CONDITION OF OUR CURRENT IS SOMEWHAT MARGINAL DUE TO HIS DIABETIC CONDITION. OUR MEDICAL STAFF IS GEARED TO DO THEIR BEST ON SITE BUT IF AN ACCUTE MEDICAL PROBLEM ARISES MR.

25X1A9a MUST BE EVACUATED TO A LARGE MEDICAL FACILITY.

~~SECRET~~ TOR:081657Z APR 67

~~SECRET~~

GROUP 1
EXCLUDED FROM AUTO-
MATIC DOWNGRADING
AND DECLASSIFICATION

REPRODUCTION BY OTHER THAN THE ISSUING OFFICE IS PROHIBITED. COPY NO.

5